

**0.88mm Bezel FHD 500nits Video Wall****Key Feature**

- ADSDS Technology
- 0.88mm Slim bezel
- 500nits
- FHD Resolution
- DP Loop
- RS232 Control
- VESA Wall Mount Interface


## Specification

### Display

Model	BP46L	BP55L
Screen Size (Diagonal)	46 inch	55 inch
LCD Tech.	ADS	
Native Resolution	1920 x 1080	
Aspect Ratio	16 : 9	
Brightness	500 cd/m <sup>2</sup>	
Contrast	1200 : 1	
View Angle	178°(H) / 178°(V)	
Display Color	16.7M	
Color Gamut	72%	
Response Time	8ms	
Life Time (Light Source)	50,000 hrs	

### Interface

HDMI IN	x 2 (HDMI 2.0)
DP IN	x 2 (DP 1.2)
DP OUT	x 1
RS232	2 (RJ45, In x 1/Out x 1)
IR	1 (Common use with RS232 in)
USB	x 1
Built-In Speaker	-



### Power

Power supply	AC 100~240V 50/60Hz	
Power consumption	≤ 200W	≤ 220W

### Environment

Operation temperature	0°C~40°C
Operation humidity	10%~80% RH


## Specification

### Physical


<b>Bezel</b>	0.88 mm	
<b>Body Dimension</b>	1019.26 x 573.75 x 95.5 mm	1210.48 x 681.2 x 92.74 mm
<b>Set Weight</b>	20 kg	26kg
<b>Package Dimension (2 sets inside)</b>	1160 x 730 x 380 mm	1360 x 380 x 840 mm
<b>Package Weight (2 sets inside)</b>	53 kg	63kg
<b>Handle</b>	2	2
<b>VESA Mounting</b>	400 x 400	400 x 400

### Dimension Drawing

BP46L



BP55L



## Specification

### Accessories Lists

No.	Parts	Qty	Specification
1	Power cord	1	1.5m
2	Remote controller	1:4	-
3	IR Receiver	1:4	
4	User manual	1	-