

OF49A-FA**49”****FHD 2000nits Outdoor Digital Signage**

Key Feature

- 2000nits
- FHD Resolution
- Android / Monitor (Optional)
- IP65
- Tempered Glass
- Fan Cooling

Specification

Display

Model	OF49A-FA
Screen Size (Diagonal)	49 inch
Native Resolution	1080 × 1920
Aspect Ratio	9:16
Brightness	2000 cd/m ²
Contrast	1200:1
View Angle	178°(H) / 178°(V)
Color Gamut	72%
Life Time (Light Source)	50,000 Hrs

Internal Player

O/S	Android 7.1
CPU	ARM Quad-Core RK3288
RAM/ROM	DDR3 2G / 8G
Input	HDMI × 1 / USB × 2
Output	-
External Control	-
Networks	LAN × 1 / WiFi
Built-In Speaker	5W × 2 (8Ω)

Power

Power supply	AC 100~240V 50/60Hz
Power consumption	≤ 300W
Rated current	≤ 1.8A
Grounding resistance	≤ 0.1Ω

Environment

Cooling system	Fan (Heater for under -10°C)
Operation temperature	-25°C~45°C
Storage temperature(°C)	-20°C~60°C
Water and dust proof	IP65
Safety Protection	Leakage Protection, Overload Protection, Overvoltage Protection, Lightning Protection, Over temperature Protection
Operation humidity	10%~95% RH

Specification

Physical

Screen Protection	6mm Armored glass (Single Side AR Film)
Body Dimension (w/o Stand)	2150 (H) × 800 (W) × 190 (D) mm
Body Dimension (with Stand)	2150 (H) × 800 (W) × 380 (D) mm
Set Weight (with Stand)	140 Kg
Package Dimension	TBD
Package Weight	TBD
Door open-ward	Front open

Dimension Drawing

