

MA16EAAPDB**15.6”****15.6 FHD P-Cap Digital Signage**

Key Feature

- 1920 × 1080 Resolution with 250nits brightness
- Built-In Speaker
- 10 Points Capacitive Touch
- Android SoC with RK3288 chip Quad core system

Specification

Display

Model	MA16EAAPDB
Screen Size (Diagonal)	15.6 inch
LCD Tech.	ADS
Native Resolution	1920 × 1080
Aspect Ratio	16 : 9
Brightness	250 cd/m ²
Contrast	800:1
View Angle	85°(H) / 85°(V)
Display Color	16.7M
Color Gamut	72% NTSC
Response Time	30ms
Life Time (Light Source)	30,000 Hrs (Min.)

Touch

Touch Type	10 Points Capacitive Touch
Touch Method	Finger
Touch Accuracy	≤2mm
Touch Response Time	<4ms
Light Transmission	≥85%

Drive Board

O/S	Android 8.1
CPU	Rockchip Quad-Core RK3288
RAM/ROM	2G / 16G
Input	USB2.0 x 3 / Mini USBx1/SD Card × 1
Output	RJ45/HDMI x 1 / Audio x 1
Networks	LAN × 1 / WiFi/Bluetooth 4.0
Built-In Speaker	2W × 2 (8Ω)

Power

Power Supply	AC 100~240V 50/60Hz
Power Consumption (Rated)	16 W

Environment

Operation Temperature	0°C~40°C
Operation Humidity	20%~80% RH

Specification

Physical

Color	BLACK
Tempered Glass	Yes
Body Dimension	388(H) × 245(V) × 27(D) mm
Set Weight	1.45KG
Package Dimension	475(H) × 295(V) × 85(D) mm
Package Weight	2.45KG
Mounting Holes	100 × 100

Dimension Drawing

